Introduction to Supersymmetry

Andreas Wipf

Theoretisch-Physikalisches Institut, Friedrich-Schiller-Universität

Max Wien Platz 1, 07743 Jena

April 2000 - March 2001

Contents

1 Introduction **6**
1.1 Reading . . . 7

2 Poincaré groups and algebras **8**
2.1 The infinitesimal generators . . . 9
2.2 The Lorentz-algebra in 4 dimensions . . . 10
2.3 Representations of the 4-dimensional Poincaré algebra . . . 12
2.3.1 Massive particles . . . 13
2.3.2 Massless particles . . . 14
2.4 Anti-de Sitter algebras . . . 15

3 Spinors **17**
3.1 Gamma matrices and their symmetries . . . 17
3.2 Lorentz transformations . . . 19
3.3 Charge conjugation . . . 20
3.4 Irreducible spinors . . . 23
3.5 Majorana condition in Minkowski spacetimes . . . 26
3.6 4 dimensions . . . 27
3.6.1 Chiral representation . . . 27
3.6.2 Dirac representation . . . 27
3.7 Formulae, technical tips . . . 28
3.7.1 Complex and hermitean conjugation . . . 29
3.7.2 Fierz relation . . . 30
3.7.3 Raising and lowering spinor indices . . . 31
3.8 Appendix A: $SL(2,\mathbb{C})$ representations . . . 32
3.9 Appendix B: Representations of spin and Lorentz groups . . . 33

4 Symmetries **39**
4.1 Noether theorem and conserved charges . . . 39
4.1.1 $U(1)$ gauge transformations . . . 40
4.1.2 The energy-momentum as Noether current of translations . . . 40
4.1.3 Improving Noether currents . . . 42

4.1.4 The conserved angular momentum . . . 42
4.2 Conformal symmetry . . . 44
4.2.1 The conformal algebra . . . 44
4.2.2 The conformal group . . . 45
4.2.3 Transformation of fields and conformal weights . . . 46
4.2.4 Noether currents . . . 47
4.3 Implementation of symmetries in quantized theories . . . 48

5 The Birth of Supersymmetry 50
5.1 Coleman Mandula Theorem . . . 50
5.2 The Wess-Zumino-Model . . . 52
5.2.1 The off-shell formulation . . . 53
5.2.2 On-shell formulation . . . 56
5.2.3 Noether currents and supercharges . . . 58
5.2.4 The superpotential . . . 61
5.2.5 Supersymmetry algebra in Weyl-basis . . . 64

6 Supersymmetry algebras 65
6.1 Graded Lie algebras . . . 65
6.1.1 Conditions for the structure constants . . . 67
6.1.2 The grading of $SU(2)$ . . . 68
6.1.3 Supertrace and super-Killingform . . . 69
6.1.4 Supergroups . . . 71
6.2 Superalgebras . . . 74
6.2.1 The special linear superalgebras $s\ell(N|M)$ . . . 74
6.2.2 The orthosymplectic superalgebras $osp(N|M)$ . . . 75
6.2.3 The unitary superalgebras $su(N|M)$ . . . 76
6.2.4 Further superalgebras . . . 77
6.3 Superalgebras containing spacetime algebras . . . 77
6.4 Physically relevant examples of superalgebras . . . 79
6.4.1 Anti-de Sitter algebras in 2,4 and 5 dimensions . . . 80
6.4.2 Appendix: AdS_5 in chiral basis . . . 88
6.5 Appendix: superalgebras of classical type . . . 90

7 Representations of supersymmetric algebras 92
7.1 Hamiltonian and Central charges . . . 93
7.2 Representations . . . 95
7.2.1 Massive representations . . . 96
7.2.2 Massless representations . . . 97
7.2.3 Non-zero central charges . . . 99

8 Supersymmetric Gauge Theories 102
8.1 $N = 1$ Abelian gauge theories . . . 102
8.1.1 The closing of the algebra . . . 104

8.1.2 Noether charge: . . . 105
8.2 $N = 1$ Non-Abelian gauge theories . . . 105
8.3 $N = 2$ Supersymmetric Gauge Theory (Seiberg-Witten) . . . 108
8.3.1 Action and field equations . . . 109
8.3.2 Supersymmetry transformations and invariance of S . . . 111
8.3.3 Chiral basis . . . 114
8.3.4 Bogomol'nyi bound, Monopoles and Jackiw-Rebbi modes . . . 115
8.3.5 $N = 2$-SYM in Euclidean spacetime . . . 117
8.3.6 Selfdual instantons and small fluctuations . . . 120
8.3.7 One-loop partition function . . . 124
8.4 Appendix 1: useful formulae in the chiral representation . . . 126
8.5 Appendix 2: Closing of the $N = 2$ algebra on the fermions. . . . 127

9 $N = 4$ Super-Yang-Mills Theory 129
9.1 Scale invariance in 1 loop . . . 129
9.2 Kaluza-Klein-Reduction . . . 130
9.2.1 Spinors in 10 dimensions . . . 130
9.2.2 Reduction of Yang-Mills term . . . 133
9.2.3 Reduction of the Dirac term . . . 134
9.2.4 R-symmetry . . . 134
9.3 Supersymmetry transformations in $d = 10$ . . . 136
9.4 Supersymmetry transformation of reduced theory . . . 138

10 Superspaces 140
10.1 Minkowski spacetime as coset space . . . 140
10.2 Superspace . . . 142
10.3 Representations on superfields . . . 143
10.3.1 Component fields . . . 145
10.3.2 Real superfields: . . . 146
10.3.3 Sub-multiplets . . . 149
10.3.4 Covariant spinor derivatives . . . 149
10.3.5 Projection operators . . . 151
10.4 Chiral superfields . . . 153
10.4.1 Alternative parametrizations of superfields . . . 153
10.5 Invariant action for scalar superfields . . . 156
10.5.1 Products of superfields . . . 157
10.5.2 Invariant actions . . . 158
10.5.3 Superspace integration . . . 159
10.6 Vector-superfields and susy-gauge transformations . . . 161
10.6.1 The Wess-Zumino gauge . . . 162
10.6.2 Invariant actions . . . 163
10.6.3 Minimal coupling . . . 164
10.6.4 Super-QED . . . 166
10.6.5 Fayet-Ilioopulos term . . . 167

10.7 Non-Abelian Gauge Theories . . . 168
10.8 Spontaneous Symmetrybreaking . . . 168

11 Supersymmetric $N = 1$ WZ-models in two Dimensions 169
11.1 Wess-Zumino model in $2d$-Minkowski spacetime . . . 169
11.1.1 2-point functions . . . 173
11.2 Wess-Zumino model in $2d$-Euclidean spacetime . . . 175
11.2.1 Noether currents . . . 178
11.3 Euclidean path integral for the free massive model . . . 179
11.4 Do we get a sensible susy field theory? . . . 182
11.4.1 The requirements on the Euclidean Theory . . . 182
11.4.2 The fermionic subspace . . . 185
11.4.3 Supersymmetric Ward identities: . . . 186
11.4.4 Changing the representation: . . . 187

12 Kaluza-Klein-Reduction from 4 to 2 dimensions 189
12.1 Reduction to a $N = 2$ Lorentzian model in $2d$ . . . 189
12.1.1 Reduction of the $4d$ action . . . 190
12.1.2 R-symmetry . . . 191
12.1.3 Chiral rotations . . . 193
12.1.4 Supersymmetry transformations . . . 193
12.2 Reduction of the $4d$ WZ-model to a $2d$ Euclidean model . . . 194
12.2.1 The Majorana conditions . . . 194
12.2.2 Reduction of $4d$ Wess-Zumino Lagrangian . . . 195
12.2.3 R-symmetry . . . 196
12.2.4 Chiral symmetry . . . 196
12.2.5 Rewriting the $2d$ model in a Dirac basis . . . 197

13 Supersymmetric sigma-Models in $1 + 1$ dimensions 199
13.1 Geometric preliminaries . . . 199
13.1.1 Background field expansion . . . 201
13.1.2 Riemann normal coordinates . . . 202
13.1.3 An alternative version for the background field expansion . . . 203
13.2 Supersymmetric sigma models in 2 dimensions . . . 204
13.3 2-dimensional supersymmetric 0(3)-model . . . 207

1 Introduction

Supersymmetric theories are highly symmetric and beautiful. They unify fermions (matter) with bosons (carrier of forces), either in flat space (supersymmetry) or in curved space-time (supergravity). Supergravity unifies the gravitational with other interactions. The energy at which gravity and quantum effects become of comparable strength can be estimated from the only expression with the dimension of energy that can be formed from the constants of nature $\hbar, c$ and G,

$$E_{Pl} = m_{Pl}c^2 = c^2\sqrt{\hbar c/G} \sim 10^{19}\text{GeV}\,.$$

The Schwarzschild radius of a point particle with Planck mass is just twice its Compton wavelength,

$$r_S = \frac{2G}{c^2}m_{Pl} = \frac{2G}{c^2}\sqrt{\hbar c/G} = \frac{2\hbar}{c}\sqrt{G/\hbar c} = \frac{2\hbar}{m_{Pl}\,c} = 2\lambda_c.$$

Supersymmetry transformations relate bosons to fermions,

$$Q|\text{Boson}\rangle \sim |\text{Fermion}\rangle \quad \text{and} \quad Q|\text{Fermion}\rangle \sim |\text{Boson}\rangle,$$

and hence relate particles with different spins. The particles fall into multiplets and the supersymmetry transforms different members of such a supermultiplet into each other. Each supermultiplet must contain at least one boson and one fermion whose spins differ by $1/2$. All states in a multiplet (of unbroken supersymmetry) have the same mass.
So far no experimental observation has revealed particles or forces which manifestly show such a symmetry. Yet supersymmetry has excited great enthusiasm in large parts of the community and more recently in the context of superstring theories. It has even be said of the theory that it is SO BEAUTIFUL IT MUST BE TRUE.
Notation:

symbols	range	meaning
$i, j, k, \ldots$	$1, 2, \ldots, d-1$	space indices
$\mu, \nu, \rho, \sigma, \ldots$	$0, 1, \ldots, d-1$	spacetime indices
$\alpha, \beta, \gamma, \delta \ldots$	$1, \ldots 2^{[d/2]}$	Dirac-spinor indices
$\alpha, \beta, \dot\alpha, \dot\beta \ldots$	$1, \ldots 2^{d/2-1}$	Weyl-spinor-indices (d even)
$A^\dagger, A^*, A^T$	A matrix	adjoint, complex conjugate and transpose of A

The (anti)symmetrization of a tensor $A_{\mu_1\ldots\mu_n}$ is

$$A_{(\mu_1\ldots\mu_n)} = \frac{1}{n!}\sum_\sigma A_{\sigma(\mu_1)\ldots\sigma(\mu_n)}, \quad A_{[\mu_1\ldots\mu_n]} = \frac{1}{n!}\sum_\sigma \text{sign}(\sigma) A_{\sigma(\mu_1)\ldots\sigma(\mu_n)}.$$

1.1 Reading

In the references you find a (of course incomplete) list of references. The references 1-13 are introductory books and review articles.