

A Theorist's View

Tilman Plehn

Universität Heidelberg

Aspen 3/2019



Story's starting point: Nothing is ever new

LHC visionaries

- 1991: NN-based quark-gluon tagger [visionary: Lönnblad, Peterson, Rönkvallsson]



USING NEURAL NETWORKS TO IDENTIFY JETS

Leif LÖNNBLAD*, Carsten PETERSON** and Thorsteinn RÖGNVALDSSON***

Department of Theoretical Physics, University of Lund, Sölvegatan 14A, S-22362 Lund, Sweden

Received 29 June 1990

A neural network method for identifying the ancestor of a hadron jet is presented. The idea is to find an efficient mapping between certain observed hadronic kinematical variables and the quark-gluon identity. This is done with a neuron expansion in terms of a network of sigmoidal functions using a gradient descent procedure, where the errors are back-propagated through the network. With this method we are able to separate gluon from quark jets originating from Monte Carlo generated e^+e^- events with $\sim 85\%$ approach. The result is independent of the MC model used. This approach for isolating the gluon jet is then used to study the so-called string effect.



Story's starting point: Nothing is ever new

LHC visionaries

- 1991: NN-based quark-gluon tagger [visionary: Lönnblad, Peterson, Rönkvallsson]
- 1994: jet-algorithm W /top-tagger [Seymour]

USING NEURAL NETWORKS TO IDENTIFY JETS

Leif LÖNNBLAD*, Carsten PETERSON** and Thorsteinn RÖGNVALDSSON***

Department of Theoretical Physics, University of Lund, Sölvegatan 14A, S-22362 Lund, Sweden

Received 29 June 1990

A neural network method for finding an efficient mapping between quark-gluon identity. This is done by using a gradient descent algorithm. With this method we are able to generate e^+e^- events in a model used. This approach for jet identification.

Searches for new particles using cone and cluster jet algorithms: a comparative study

Michael H. Seymour

Department of Theoretical Physics, University of Lund, Sölvegatan 14A, S-22362 Lund, Sweden

Received 18 June 1993; in revised form 16 September 1993

Abstract. We discuss the reconstruction of the hadronic decays of heavy particles using jet algorithms. The ability to reconstruct the mass of the decaying particle is compared between a traditional cone-type algorithm and a recently proposed cluster-type algorithm. The specific examples considered are the semileptonic decays of a heavy Higgs boson at $\sqrt{s}=16$ TeV, and of top quark-antiquark pairs at $\sqrt{s}=1.8$ TeV. We find that the cluster algorithm offers considerable advantages in the former case, and a slight advantage in the latter. We briefly discuss the effects of calorimeter energy resolution, and show that a typical resolution dilutes these advantages, but does not remove them entirely.

except that the invariant mass of a pair is replaced by the transverse momentum of the softer particle relative to the other.

More recently, this algorithm was extended to collisions with incoming hadrons [5], and a longitudinally-invariant k_t -clustering algorithm for hadron-hadron collisions was proposed [6]. This algorithm has been compared with the more commonly used cone algorithm from the viewpoints of a parton-shower Monte Carlo program [6, 7], and a fixed-order matrix element calculation [8], and advantages of the cluster reported in both cases. This paper is a comparison between the algorithms reconstructing the hadronic decays of which was also studied in a preliminary Standard Model are the top quark and Higgs boson. The search for, and study of, these particles are the most important goals of current and future hadron collider experiments. In both cases



~ 1970: People with visions should see a doctor [Helmut Schmidt, wrong for once]



Fat jet taggers (2000s)





Look what makes jets [Pre-LHC, jets were just annoying]

- top jets from $t \rightarrow bq\bar{q}'$ vs QCD jets
- top decays well-defined in theory
- labelled sample: semileptonic $t\bar{t}$ events

⇒ Fat jets as LHC physics playground [Andrew & Dan]

Simple top tagging [BDRS; TP, Salam, Spannowsky, Takeuchi]

- 1– fat jet with $p_T > 200$ GeV
 - 2– filtering defining 3-5 decay jets
 - 3– top mass window $m_{123} = [150, 200]$ GeV
 - 4– mass plane cuts extracting $m_{ij} \approx m_W$
- ⇒ Not rocket science, but crucial to build trust



Multi-variate taggers (2010s)

Developing the benchmark

- multivariate analysis generally old news
multivariate tagger to keep up with shower deconstruction [Soper, Spannowsky]
- optimal fat jet size R_{opt} [large to decay jets, small to avoid combinatorics, compute from kinematics]

$$|m_{123} - m_{123}^{(R_{\text{max}})}| < 0.2 m_{123}^{(R_{\text{max}})} \Rightarrow R_{\text{opt}}$$


- add N-subjettiness [Thaler, van Tilburg]
- $\{m_{123}, f_W, R_{\text{opt}} - R_{\text{opt}}^{(\text{calc})}, \tau_j, \tau_j^{(\text{filt})}\}$

⇒ Theory all but precision

Fat jet and top kinematics

- jet radiation major problem for Z' search
- tag and reconstruction in each other's way
- $\{\dots, m_{tt}, p_{T,t}, m_{jj}^{(\text{filt})}, p_{T,j}^{(\text{filt})}\}$

⇒ Driven by experimental performance




Jet image machines (2020s)

The natural next step [Cogan etal, Oliveira, Nachman etal, Baldi, Whiteson etal (2014/15)]

- why intermediate high-level variables?
- learn theory through more NN layers
- calorimeter output as image
- as data-based as possible

⇒ Deep learning = modern networks on low-level observables



Jet image machines (2020s)

The natural next step [Cogan etal, Oliveira, Nachman etal, Baldi, Whiteson etal (2014/15)]




- why intermediate high-level variables?
- learn theory through more NN layers
- calorimeter output as image
- as data-based as possible

⇒ Deep learning = modern networks on low-level observables



Convolutional network [Kasieczka, TP, Russell, Schell; Macaluso, Shih]




- image recognition standard ML task
- rapidity vs azimuthal angle, colored by energy deposition
- top tagging on 2D jet images
- 40×40 bins through calorimeter resolution



Inside DeepTop — Arguing with Andrew

Particle physicists as weird users [Kasieczka, TP, Russell, Schell; Macaluso & Shih]

– 2+2 convolutional layers





Inside DeepTop — Arguing with Andrew

Particle physicists as weird users [Kasieczka, TP, Russell, Schell; Macaluso & Shi]



- 2+2 convolutional layers
- 3 fully connected layers





Inside DeepTop — Arguing with Andrew

Particle physicists as weird users [Kasieczka, TP, Russell, Schell; Macaluso & Shih]

- 2+2 convolutional layers
- 3 fully connected layers
- Pearson input-output correlation [pixel x vs label y]

$$r_{ij} \approx \sum_{\text{images}} (x_{ij} - \bar{x}_{ij}) (y - \bar{y})$$



Inside DeepTop — Arguing with Andrew



Particle physicists as weird users [Kasieczka, TP, Russell, Schell; Macaluso & Shih]

- 2+2 convolutional layers
- 3 fully connected layers
- Pearson input-output correlation [pixel x vs label y]

$$r_{ij} \approx \sum_{\text{images}} (x_{ij} - \bar{x}_{ij}) (y - \bar{y})$$

- comparison to MotherOfTaggers BDT

⇒ Understandable performance gain



Inside DeepTop — Arguing with Andrew



Particle physicists as weird users [Kasieczka, TP, Russell, Schell; Macaluso & Shih]

- 2+2 convolutional layers
- 3 fully connected layers
- Pearson input-output correlation [pixel x vs label y]

$$r_{ij} \approx \sum_{\text{images}} (x_{ij} - \bar{x}_{ij}) (y - \bar{y})$$

- comparison to MotherOfTaggers BDT

⇒ Understandable performance gain



Inside DeepTop — Arguing with Andrew

Particle physicists as weird users [Kasieczka, TP, Russell, Schell; Macaluso & Shih]

- 2+2 convolutional layers
- 3 fully connected layers
- Pearson input-output correlation [pixel x vs label y]

$$r_{ij} \approx \sum_{\text{images}} (x_{ij} - \bar{x}_{ij}) (y - \bar{y})$$

- comparison to MotherOfTaggers BDT

⇒ Understandable performance gain



Typical reaction: ‘F*** you, you f***ing machine’

- full control for supervised learning
- easy checks for correctly identified signal/background

- MC truth vs MotherOfTaggers vs DeepTop

fat jet mass
N-subjettiness
transverse momenta

⇒ It works and we know why



Grand theory ideas

Networks with 4-vector input [Butter, Kasieczka, TP, Russell; many more by now]

- sparsely filled picture: graph CNN
- physics objects from calorimeter and tracker
- distance measure known from e&m [alternatively: Erdmann, Rath, Rieger]

Inspired by jet algorithm — combination layer

- input 4-vectors

$$(k_{\mu,i}) = \begin{pmatrix} k_{0,1} & k_{0,2} & \dots & k_{0,N} \\ k_{1,1} & k_{1,2} & \dots & k_{1,N} \\ k_{2,1} & k_{2,2} & \dots & k_{2,N} \\ k_{3,1} & k_{3,2} & \dots & k_{3,N} \end{pmatrix}$$

- on-shell conditions for top tag
- combined 4-vectors

$$k_{\mu,i} \xrightarrow{\text{CoLa}} \tilde{k}_{\mu,j} = k_{\mu,i} \ C_{ij}$$

$$C = \begin{pmatrix} 1 & 0 & \dots & 0 & C_{1,N+2} & \dots & C_{1,M} \\ 0 & 1 & & \vdots & C_{2,N+2} & \dots & C_{2,M} \\ \vdots & \vdots & \ddots & 0 & \vdots & & \vdots \\ 0 & 0 & \dots & 1 & C_{N,N+2} & \dots & C_{N,M} \end{pmatrix}$$

⇒ Physics step, easy to interpret



Grand theory ideas

Networks with 4-vector input [Butter, Kasieczka, TP, Russell; many more by now]

- sparsely filled picture: graph CNN
- physics objects from calorimeter and tracker
- distance measure known from e&m [alternatively: Erdmann, Rath, Rieger]

Inspired by jet algorithm — combination layer


- input 4-vectors $(k_{\mu,i})$
 - on-shell conditions for top tag
 - combined 4-vectors $k_{\mu,i} \xrightarrow{\text{CoLa}} \tilde{k}_{\mu,j} = k_{\mu,i}$
- ⇒ Physics step, easy to interpret

Inspired by Jackson — Lorentz layer

- DNN on Lorentz scalars
- $$\tilde{k}_j \xrightarrow{\text{LoLa}} \hat{k}_j = \begin{pmatrix} m^2(\tilde{k}_j) \\ p_T(\tilde{k}_j) \\ \vdots \end{pmatrix}$$

⇒ Learn Minkowski metric

$$g = \text{diag}(0.99 \pm 0.02, \\ -1.01 \pm 0.01, -1.01 \pm 0.02, -0.99 \pm 0.02)$$



Meet the professionals

A brief history of moving fast

- 2014/15: first jet image papers
- 2017: first (working) ML top tagger
- ML4Jets 2017: What architecture works best?
- ML4Jets 2018: Lots of architectures work [1902.09914]

⇒ For me, jet classification understood and done

SciPost Physics

Submission

The Machine Learning Landscape of Top Taggers

G. Kasieczka (ed)¹, T. Plehn (ed)², A. Butter², D. Debnath³, M. Fairbairn⁴,
W. Fedorko⁵, C. Gay⁵, L. Gouskos⁶, P. T. Komiske⁷, S. Leiss¹, A. Lister⁵, S. Macaluso³,
E. M. Metodiev⁷, L. Moore⁸, B. Nachman^{9,10}, K. Nordström^{11,12}, J. Pearkes⁵, H. Qu⁶,
Y. Rath¹³, M. Riegler¹³, D. Shih³, J. M. Thompson², and S. Varma⁴

¹ Institut für Experimentalphysik, Universität Hamburg, Germany

² Institut für Theoretische Physik, Universität Heidelberg, Germany

³ NHECT, Dept. of Physics and Astronomy, Rutgers, The State University of NJ, USA

⁴ Theoretical Particle Physics and Cosmology, King's College London, United Kingdom

⁵ Department of Physics and Astronomy, The University of British Columbia, Canada

⁶ Department of Physics, University of California, Santa Barbara, USA

⁷ Center for Theoretical Physics, MIT, Cambridge, USA

⁸ CP3, Université Catholique de Louvain, Louvain-la-Neuve, Belgium

⁹ Physics Division, Lawrence Berkeley National Laboratory, Berkeley, USA

¹⁰ Simons Inst. for the Theory of Computing, University of California, Berkeley, USA

¹¹ National Institute for Subatomic Physics (NIKHEF), Amsterdam, Netherlands

¹² LPThe, CNRS & Sorbonne Université, Paris, France

¹³ III. Physikalisches Institut A, RWTH Aachen University, Germany

gregor.kasieczka@uni-hamburg.de

plehn@uni-heidelberg.de

February 26, 2019

Abstract

Based on the established task of identifying boosted, hadronically decaying top quarks, we compare a wide range of modern machine learning approaches. We find that they are extremely powerful and great fun.

Content

1	Introduction	3
2	Data set	4
3	Taggers	4
3.1	Imaged-based taggers	4
3.1.1	CNN	5
3.1.2	ResNeXt	5
3.2	4-Vector-based taggers	6
3.2.1	TopoDNN	6
3.2.2	Multi-Body N-Subjettiness	7
3.2.3	Recurrent Networks	7
3.2.4	P-CNN	8
3.2.5	ParticleNet	8
3.3	Theory-inspired taggers	9
3.3.1	Lorentz Boost Network	9
3.3.2	Lorentz Layer	10
3.3.3	Energy Flow Polynomials	11
3.3.4	Energy Flow Networks	11
3.3.5	Particle Flow Networks	12
4	Comparison	13
5	Conclusion	16
	References	17



Meet the professionals

A brief history of moving fast

- 2014/15: first jet image papers
- 2017: first (working) ML top tagger
- ML4Jets 2017: What architecture works best?
- ML4Jets 2018: Lots of architectures work [1902.09914]

⇒ For me, jet classification understood and done

SciPost Physics

Submission

The Machine Learning Landscape of Top Taggers

G. Kasieczka (ed)¹, T. Plehn (ed)², A. Butter², D. Debnath³, M. Fairbairn⁴,
W. Fedorko⁵, C. Gay⁵, L. Gouskos⁶, P. T. Komiske⁷, S. Leiss¹, A. Lister⁸, S. Macaluso³,
E. M. Metodiev⁷, L. Moore⁸, B. Nachman^{9,10}, K. Nordström^{11,12}, J. Pearkes⁶, H. Qu⁶,
Y. Rath¹³, M. Riegler¹³, D. Shih³, J. M. Thompson², and S. Varma⁴


- ¹ Institut für Experimentalphysik, Universität Hamburg, Germany
- ² Institut für Theoretische Physik, Universität Heidelberg, Germany
- ³ NHECT, Dept. of Physics and Astronomy, Rutgers, The State University of NJ, USA
- ⁴ Theoretical Particle Physics and Cosmology, King's College London, United Kingdom
- ⁵ Department of Physics and Astronomy, The University of British Columbia, Canada
- ⁶ Department of Physics, University of California, Santa Barbara, USA
- ⁷ Center for Theoretical Physics, MIT, Cambridge, USA
- ⁸ CP3, Université Catholique de Louvain, Louvain-la-Neuve, Belgium
- ⁹ Physics Division, Lawrence Berkeley National Laboratory, Berkeley, USA
- ¹⁰ Simons Inst. for the Theory of Computing, University of California, Berkeley, USA
- ¹¹ National Institute for Subatomic Physics (NIKHEF), Amsterdam, Netherlands
- ¹² LPTHE, CNRS & Sorbonne Université, Paris, France
- ¹³ III. Physics Institute A, RWTH Aachen University, Germany

gregor.kasieczka@uni-hamburg.de
plehn@uni-heidelberg.de

February 26, 2019

Abstract

Based on the established task of identifying boosted, hadronically decaying top quarks, we compare a wide range of modern machine learning approaches. We find that they are extremely powerful and great fun.




When reality hits


ML-Life is not always nice to us [Kasieczka, Kiefer, TP, Thompson]

- Quark-gluon tagging a classic challenge [Andrew's talk]
- quark jets typical for resonance searches
gluon jets typical as dark matter recoil
- BDT/NN on high-level variables established

⇒ deep-learning advantage gone after detector simulation, REALLY???




Learning background only




Fully supervised classification boring [Heimel, Kasieczka, TP, Thompson; Farina, Macari, Shih]

- anomaly searches, only training on ‘background’
- established ML concept: autoencoder
- reconstruct typical QCD jet image from many QCD jets
reduce weights in central layer, compress information to ‘typical’
- search for outliers hard to describe

⇒ Making an okay tagger



Learning background only




Fully supervised classification boring [Heimel, Kasieczka, TP, Thompson; Farina, Macari, Shih]

- anomaly searches, only training on 'background'
- established ML concept: autoencoder
- reconstruct typical QCD jet image from many QCD jets
- reduce weights in central layer, compress information to 'typical'
- search for outliers hard to describe


⇒ Making an okay tagger

De-correlate background shaping

- established concept: adversary [Shimmin,...]



Learning background only





Fully supervised classification boring [Heimel, Kasieczka, TP, Thompson; Farina, Macari, Shih]

- anomaly searches, only training on 'background'
- established ML concept: autoencoder
- reconstruct typical QCD jet image from many QCD jets
reduce weights in central layer, compress information to 'typical'
- search for outliers hard to describe


⇒ Making an okay tagger

De-correlate background shaping

- established concept: adversary [Shimmin,...]
- atypical QCD jets typically with large jet mass
remove jet mass from network training



Learning background only



Fully supervised classification boring [Heimel, Kasieczka, TP, Thompson; Farina, Macari, Shih]


- anomaly searches, only training on 'background'
- established ML concept: autoencoder
- reconstruct typical QCD jet image from many QCD jets
reduce weights in central layer, compress information to 'typical'
- search for outliers hard to describe

⇒ Making an okay tagger

The whole thing on anomalous LHC events [Gerri, Nguyen, Pierini, Spiropulu, Vlimant]

- same thing on full events
- training data a problem
- variational autoencoder more powerful







⇒ Proof of concept...



B***ian networks

Enhance network output [Bollweg, Haussmann, Kasieczka, Luchmann, TP, Thompson (soon)]

- learn classification output and uncertainty
- $(60 \pm 30)\%$ top is very different from $(60 \pm 1)\%$ top
- tagger calibration part of the network training
- for instance: effect of MC statistics



The future

Times are moving fast...

...LHC physics really is big data

...imagine recognition is a starting point

...deep learning is not just classification

...jets are not the only interesting objects at LHC

...machine learning is an amazing tool box

Let's find cool and fun applications!

